




MODEL	 lb*ft	 (°)	 in	 in	 in	 in	 in	 lb
25	172490	∞	92	98	41	223 259	39700	
35	169890	∞	92	98	41	223 259	39700	
45	164900	∞	92	98	41	223 259	39700	
55	161500	∞	92	99	41	223 259	39700	

EFFER 255


6S




3S+JIB 2S




3S+JIB 3S





4S+JIB 2S



4S+JIB 3S



4S+JIB 4S





Optional




MODEL	txm	(°)	mm	mm	mm	mm	t
6S	21,97	∞	2337	2505	1050	5654 6590	18
3S+JIB 2S	23,48	∞	2666	2500	1185	5654 6590	18
3S+JIB 3S	23,48	∞	2666	2500	1185	5654 6590	18
4S+JIB 2S	22,79	∞	2666	2500	1185	5654 6590	18
4S+JIB 3S	22,79	∞	2666	2500	1185	5654 6590	18
4S+JIB 4S	22,79	∞	2666	2500	1185	5654 6590	18

MODEL	lb*ft	(°)	in	in	in	in	lb
6S	158960	∞	92	99	41	223 259	39700
3S+JIB 2S	169890	∞	105	98	47	223 259	39700
3S+JIB 3S	169890	∞	105	98	47	223 259	39700
4S+JIB 2S	164900	∞	105	98	47	223 259	39700
4S+JIB 3S	164900	∞	105	98	47	223 259	39700
4S+JIB 4S	164900	∞	105	98	47	223 259	39700

5S+JIB 2S



5S+JIB 3S



MODEL							
	txm	(°)	mm	mm	mm	mm	t
5S+JIB 2S	22,32	∞	2666	2505	1185	5654 6590	18
5S+JIB 3S	22,32	∞	2666	2505	1185	5654 6590	18

MODEL							
	lb*ft	(°)	in	in	in	in	lb
5S+JIB 2S	161500	∞	105	99	47	223 259	39700
5S+JIB 3S	161500	∞	105	99	47	223 259	39700